



Add me on WeChat



PRODUCT CATALOGUE

PROFESSIONAL GAS STOVES



FOSHAN SHUNDE CHEFF ELECTRIC APPLIANCES CO.,LTD
FOSHAN CHEFF IMPORT & EXPORT CO., LTD

Add: 6th & 7th Floor Building 10th, Jilong Zhizao Yuan Industry Area, the 52nd Xilian Road, Longyan,
Leliu Town, Shunde Distric, Foshan city, Guangdong, China. 528322

Tel: 0086 757-2939 0510 0086 757-2552 6105

Fax: 0086757-2939 0510

Email: info@cheffcooker.com

<https://cheffcooker.en.alibaba.com/>

Web: www.cheffcooker.com



TEMPERED
GLASS

TEMPERED GLASS

PROFESSIONAL GAS STOVE



CFGC-8152

Burner size(mm)	90+90mm
Products size(mm)	675x365x160
Heat output(kW)	2.8+2.8
Loading Q'ty	680pcs/20'GP;1680pcs/40'HQ



CFGC-8160

Burner size(mm)	100+100mm
Products size(mm)	710x420x160
Heat output(kW)	3.4+3.4
Loading Q'ty	610pcs/20'GP;1470pcs/40'HQ



CFGC-8154

Burner size(mm)	100+120mm
Products size(mm)	675x365x160
Heat output(kW)	3.4+3.8
Loading Q'ty	680pcs/20'GP;1680pcs/40'HQ



CFGC-8167

Burner size(mm)	90+90mm
Products size(mm)	675x365x160
Heat output(kW)	2.8+2.8
Loading Q'ty	680pcs/20'GP;1680pcs/40'HQ



CFGC-8168

Burner size(mm)	90+90mm
Products size(mm)	675x365x160
Heat output(kW)	2.8+2.8
Loading Q'ty	680pcs/20'GP;1680pcs/40'HQ



CFGC-8170

Burner size(mm)	90+90mm
Products size(mm)	675x365x160
Heat output(kW)	2.8+2.8
Loading Q'ty	680pcs/20'GP;1680pcs/40'HQ

TEMPERED GLASS
PROFESSIONAL GAS STOVE



CFGC-9171A

Burner size(mm)	100+45+100mm
Porducts size(mm)	730x365x160
Heat output(kW)	3.6+0.8+3.6
Loading Q'ty	610pcs/20'GP;1470pcs/40'HQ



CFGC-9102

Burner size(mm)	90+45+90mm
Porducts size(mm)	675x365x160
Heat output(kW)	2.8+0.8+2.8
Loading Q'ty	680pcs/20'GP;1680pcs/40'HQ



CFGC-8208

Burner size(mm)	90+90mm
Porducts size(mm)	730x378x135
Heat output(kW)	2.8+2.8
Loading Q'ty	800pcs/20'GP;1950pcs/40'HQ



CFGC-8209

Burner size(mm)	100+120mm
Porducts size(mm)	730x378x135
Heat output(kW)	3.6+4.0
Loading Q'ty	800pcs/20'GP;1950pcs/40'HQ



CFGC-9103

Burner size(mm)	90+45+90mm
Porducts size(mm)	675x365x160
Heat output(kW)	2.8+0.8+2.8
Loading Q'ty	680pcs/20'GP;1680pcs/40'HQ



CFGC-9104

Burner size(mm)	90+45+90mm
Porducts size(mm)	675x365x160
Heat output(kW)	2.8+0.8+2.8
Loading Q'ty	680pcs/20'GP;1680pcs/40'HQ



CFGC-8210

Burner size(mm)	100+120mm
Porducts size(mm)	730x378x135
Heat output(kW)	3.8+3.8
Loading Q'ty	800pcs/20'GP;1950pcs/40'HQ



CFGC-9211

Burner size(mm)	90+45+90mm
Porducts size(mm)	730x378x135
Heat output(kW)	2.8+0.8+2.8
Loading Q'ty	800pcs/20'GP;1950pcs/40'HQ



CFGC-9105

Burner size(mm)	90+45+90mm
Porducts size(mm)	675x365x160
Heat output(kW)	2.8+0.8+2.8
Loading Q'ty	680pcs/20'GP;1680pcs/40'HQ



CFGC-8207D

Burner size(mm)	90+90mm
Porducts size(mm)	730x378x135
Heat output(kW)	2.8+2.8
Loading Q'ty	800pcs/20'GP;1950pcs/40'HQ



CFGC-8236

Burner size(mm)	70+90mm
Porducts size(mm)	730x378x135
Heat output(kW)	1.6+2.3
Loading Q'ty	800pcs/20'GP;1950pcs/40'HQ



CFGC-9236

Burner size(mm)	70+45+90mm
Porducts size(mm)	730x378x135
Heat output(kW)	1.6+0.8+2.3
Loading Q'ty	800pcs/20'GP;1950pcs/40'HQ

TEMPERED GLASS
PROFESSIONAL GAS STOVE



CFGC-9215

Burner size(mm)	100+45+120mm
Porducts size(mm)	730x378x135
Heat output(kW)	3.4+0.8+3.4
Loading Q'ty	800pcs/20'GP;1950pcs/40'HQ



CFGC-9216

Burner size(mm)	100+45+120mm
Porducts size(mm)	730x378x135
Heat output(kW)	3.4+0.8+3.4
Loading Q'ty	800pcs/20'GP;1950pcs/40'HQ



CFGC-8162

Burner size(mm)	135+135mm
Porducts size(mm)	675x365x160
Heat output(kW)	3.4+3.4
Loading Q'ty	530pcs/20'GP;1280pcs/40'HQ



CFGC-8169

Burner size(mm)	135+135mm
Porducts size(mm)	675x365x160
Heat output(kW)	3.4+3.4
Loading Q'ty	530pcs/20'GP;1280pcs/40'HQ



CFGC-9218

Burner size(mm)	90+60+70mm
Porducts size(mm)	730x378x135
Heat output(kW)	2.7+2.5+2.7
Loading Q'ty	800pcs/20'GP;1950pcs/40'HQ



CFGC-8238

Burner size(mm)	100+100mm
Porducts size(mm)	730x378x135
Heat output(kW)	3.0+3.0
Loading Q'ty	800pcs/20'GP;1950pcs/40'HQ



CFGC-8518

Burner size(mm)	120+160mm
Porducts size(mm)	675x365x160
Heat output(kW)	4.0+3.2
Loading Q'ty	530pcs/20'GP;1280pcs/40'HQ



CFGC-8239

Burner size(mm)	135+135mm
Porducts size(mm)	730x378x135
Heat output(kW)	2.5+2.5
Loading Q'ty	830pcs/20'GP;1960pcs/40'HQ



CFGC-8237

Burner size(mm)	90+90mm
Porducts size(mm)	730x378x135
Heat output(kW)	2.3+2.3
Loading Q'ty	800pcs/20'GP;1950pcs/40'HQ



CFGC-1158

Burner size(mm)	160mm
Porducts size(mm)	320x365x160
Heat output(kW)	2.5
Loading Q'ty	1350pcs/20'GP;3350pcs/40'HQ



CFGC-1159

Burner size(mm)	120mm
Porducts size(mm)	320x360x160
Heat output(kW)	3.4
Loading Q'ty	1350pcs/20'GP;3350pcs/40'HQ



CFGC-1160

Burner size(mm)	120mm
Porducts size(mm)	320x360x160
Heat output(kW)	3.4
Loading Q'ty	1350pcs/20'GP;3350pcs/40'HQ

TEMPERED GLASS
PROFESSIONAL GAS STOVE



CFGC-1165

Burner size(mm)	90mm
Porducts size(mm)	320x365x160
Heat output(kW)	2.8
Loading Q'ty	1350pcs/20'GP;3350pcs/40'HQ



CFGC-1164

Burner size(mm)	100mm
Porducts size(mm)	320x375x135
Heat output(kW)	3.4
Loading Q'ty	1720pcs/20'GP;4150pcs/40'HQ

TWO
BURNER



TWO BURNER
PROFESSIONAL GAS STOVE



CFGC-C2001

Burner size(mm)	100+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.6+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-C2002

Burner size(mm)	100+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.6+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2018W

Burner size(mm)	100+120mm
Products size(mm)	710x400x145
Heat output(kW)	3.4+3.8
Loading Q'ty	940pcs/20'GP;2280pcs/40'HQ



CFGC-2018G

Burner size(mm)	120+120mm
Products size(mm)	705x400x140mm
Heat output(kW)	4.0+4.0
Loading Q'ty	960pcs/20GP; 2342pcs/40HQ;



CFGC-C2007

Burner size(mm)	100+120mm
Products size(mm)	690x415x125
Heat output(kW)	3.6+4.0
Loading Q'ty	1150pcs/20'GP;2450pcs/40'HQ



CFGC-C2008

Burner size(mm)	100+120mm
Products size(mm)	690x415x125
Heat output(kW)	3.6+4.0
Loading Q'ty	1150pcs/20'GP;2450pcs/40'HQ



CFGC-2111

Burner size(mm)	100+100mm
Products size(mm)	710x385x145
Heat output(kW)	3.4+3.4
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2115

Burner size(mm)	100+100mm
Products size(mm)	710x385x145
Heat output(kW)	3.4+3.4
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2145

Burner size(mm)	120+120mm
Products size(mm)	720x395x125
Heat output(kW)	4.3+4.3
Loading Q'ty	910pcs/20'GP;2140pcs/40'HQ



CFGC-2016

Burner size(mm)	90+90mm
Products size(mm)	680x385x145
Heat output(kW)	2.8+2.8
Loading Q'ty	1020pcs/20'GP;2480pcs/40'HQ



CFGC-2116

Burner size(mm)	80+80mm
Products size(mm)	720x385x145
Heat output(kW)	2.6+2.6
Loading Q'ty	750pcs/20'GP;1800pcs/40'HQ



CFGC-2117

Burner size(mm)	80+80mm
Products size(mm)	720x385x145
Heat output(kW)	2.6+2.6
Loading Q'ty	750pcs/20'GP;1800pcs/40'HQ

TWO BURNER
PROFESSIONAL GAS STOVE



CFGC-2131

Burner size(mm)	100+100mm
Products size(mm)	710x385x145
Heat output(kW)	3.4+3.4
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2147

Burner size(mm)	120+120mm
Products size(mm)	710x385x145
Heat output(kW)	4.0+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2169

Burner size(mm)	100+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.6+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2170

Burner size(mm)	100+100mm
Products size(mm)	710x385x145
Heat output(kW)	3.4+3.4
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2151

Burner size(mm)	100+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.6+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2161

Burner size(mm)	100+100mm
Products size(mm)	710x385x145
Heat output(kW)	3.4+3.4
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2171

Burner size(mm)	100+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.6+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2173

Burner size(mm)	100+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.6+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2162

Burner size(mm)	100+100mm
Products size(mm)	600x375x145
Heat output(kW)	3.4+3.4
Loading Q'ty	1180pcs/20'GP;2870pcs/40'HQ



CFGC-2168

Burner size(mm)	100+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.6+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2174

Burner size(mm)	100+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.6+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-2176

Burner size(mm)	100+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.6+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ

TWO BURNER
PROFESSIONAL GAS STOVE



CFGC-C2012

Burner size(mm)	120+120mm
Products size(mm)	690X380X150mm
Heat output(kW)	4.0+4.0
Loading Q'ty	960pcs/20GP; 2342pcs/40HQ

CFGC-2190

Burner size(mm)	120+120mm
Products size(mm)	710X385X145
Heat output(kW)	4.0+4.0
Loading Q'ty	980pcs/20GP; 2400pcs/40HQ;

CFGC-2194

Burner size(mm)	135+135mm
Products size(mm)	710X385X145
Heat output(kW)	4.2+4.2
Loading Q'ty	980pcs/20GP; 2400pcs/40HQ

CFGC-2195

Burner size(mm)	115+115mm
Products size(mm)	710X385X145
Heat output(kW)	3.8+3.8
Loading Q'ty	980pcs/20GP; 2400pcs/40HQ



CFGC-2191

Burner size(mm)	120+120mm
Products size(mm)	710X385X145
Heat output(kW)	4.0+4.0
Loading Q'ty	980pcs/20GP; 2400pcs/40HQ;

CFGC-2192

Burner size(mm)	100+100mm
Products size(mm)	710X385X145
Heat output(kW)	3.6+3.6
Loading Q'ty	980pcs/20GP; 2400pcs/40HQ



CFGC-2193

Burner size(mm)	120+120mm
Products size(mm)	710X385X145
Heat output(kW)	4.0+4.0
Loading Q'ty	980pcs/20GP; 2400pcs/40HQ

CFGC-2185

Burner size(mm)	135+135mm
Products size(mm)	710X385X145
Heat output(kW)	4.5+4.5
Loading Q'ty	980pcs/20GP; 2400pcs/40HQ

TWO BURNER
PROFESSIONAL GAS STOVE

THREE BURNER



THREE BURNER PROFESSIONAL GAS STOVE



CFGC-3002

Burner size(mm)	100+45+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.6+0.8+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-3005

Burner size(mm)	100+33+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.0+0.8+3.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-3006

Burner size(mm)	80+60+80mm
Products size(mm)	720x385x145
Heat output(kW)	2.8+2.5+2.8
Loading Q'ty	780pcs/20'GP;1880pcs/40'HQ



CFGC-3007

Burner size(mm)	80+60+80mm
Products size(mm)	720x385x145
Heat output(kW)	2.8+2.5+2.8
Loading Q'ty	780pcs/20'GP;1880pcs/40'HQ



CFGC-3018B

Burner size(mm)	100+100+100mm
Products size(mm)	710x385x145
Heat output(kW)	3.4+3.4+3.4
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-3014

Burner size(mm)	100+33+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.4+0.8+3.4
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ

THREE BURNER

PROFESSIONAL GAS STOVE



CFGC-3015

Burner size(mm)	100+33+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.4+0.8+3.8
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-3017

Burner size(mm)	100+45+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.6+0.8+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-3018

Burner size(mm)	90+45+90mm
Products size(mm)	710x385x145
Heat output(kW)	2.8+0.8+2.8
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-3019

Burner size(mm)	100+45+120mm
Products size(mm)	710x385x145
Heat output(kW)	3.6+0.8+4.0
Loading Q'ty	980pcs/20'GP;2380pcs/40'HQ



CFGC-3020

Burner size(mm)	100+100+100mm
Products size(mm)	710X385X145
Heat output(kW)	3.0+3.0
Loading Q'ty	980pcs/20GP; 2400pcs/40HQ

SINGLE BURNER



SINGLE BURNER

PROFESSIONAL GAS STOVE



CFGC-1101

Burner size(mm)	90mm
Porducts size(mm)	280x385x145
Heat output(kW)	2.8
Loading Q'ty	2350pcs/20'GP;5700pcs/40'HQ



CFGC-1102

Burner size(mm)	120mm
Porducts size(mm)	280x385x145
Heat output(kW)	4.0
Loading Q'ty	2350pcs/20'GP;5700pcs/40'HQ



CFGC-1103

Burner size(mm)	120mm
Porducts size(mm)	280x385x145
Heat output(kW)	4.0
Loading Q'ty	2350pcs/20'GP;5700pcs/40'HQ



CFGC-1104

Burner size(mm)	120mm
Porducts size(mm)	280x385x145
Heat output(kW)	4.0
Loading Q'ty	2350pcs/20'GP;5700pcs/40'HQ



CFGC-1105

Burner size(mm)	120mm
Porducts size(mm)	280x385x145
Heat output(kW)	3.8
Loading Q'ty	2350pcs/20'GP;5700pcs/40'HQ



CFGC-1106

Burner size(mm)	120mm
Porducts size(mm)	280x385x145
Heat output(kW)	4.0
Loading Q'ty	2350pcs/20'GP;5700pcs/40'HQ

SINGLE BURNER

PROFESSIONAL GAS STOVE



CFGC-1212

Burner size(mm)	90mm
Porducts size(mm)	280x385x145
Heat output(kW)	2.8
Loading Q'ty	2350pcs/20'GP;5700pcs/40'HQ



CFGC-C1158

Burner size(mm)	120mm
Porducts size(mm)	280x385x145
Heat output(kW)	4.0
Loading Q'ty	2350pcs/20'GP;5700pcs/40'HQ



CFGC-1213

Burner size(mm)	120mm
Porducts size(mm)	280x385x145
Heat output(kW)	4.0
Loading Q'ty	2350pcs/20'GP;5700pcs/40'HQ



CFGC-1214

Burner size(mm)	100mm
Porducts size(mm)	280x385x145
Heat output(kW)	3.4
Loading Q'ty	2350pcs/20'GP;5700pcs/40'HQ



CFGC-1215

Burner size(mm)	115mm
Porducts size(mm)	280X385X145
Heat output(kW)	3.5
Loading Q'ty	2350pcs/20GP; 5700pcs/40HQ



CFGC-1216

Burner size(mm)	100mm
Porducts size(mm)	280X385X145
Heat output(kW)	3.0
Loading Q'ty	2350pcs/20GP; 5700pcs/40HQ

SINGLE BURNER

PROFESSIONAL GAS STOVE



CFGC-1217

Burner size(mm)	120mm
Porducts size(mm)	280X385X145
Heat output(kW)	4.0
Loading Q'ty	2350pcs/20GP; 5700pcs/40HQ



COMMERCIAL BURNER

COMMERCIAL BURNER




CFCB-1215

- 175mm Burner
- Cast Iron Surface Material
- 290x535x130mm Product Size
- 1200pcs/20'GP; 2920pcs/40HQ



CFCB-1216

- 220mm Burner
- Cast Iron Surface Material
- 330x580x130mm Product Size
- 960pcs/20'GP; 2360pcs/40HQ



CFCB-1219

- 220mm Burner
- Cast Iron Surface Material
- 385x600x750mm Product Size
- 340pcs/20'GP; 940pcs/40HQ



CFCB-1220

- Dia:138mm* Length:403mm Burner
- 120mm Cast Iron Burner Cap
- Cast Iron Surface Material
- 385x600x360mm Product Size
- 400pcs/20'GP; 1000pcs/40HQ




CFCB-1217

- 220mm Burner
- Cast Iron Surface Material
- 385x600x200mm Product Size
- 423pcs/20'GP; 1037pcs/40HQ



CFCB-1218

- 220mm Burner
- Cast Iron Surface Material
- 385x600x360mm Product Size
- 400pcs/20'GP; 1000pcs/40HQ



CFCB-1221

- Dia:138mm* Length:403mm Burner
- 120mm Cast Iron Burner Cap
- Cast Iron Surface Material
- 385x600x750mm Product Size
- 340pcs/20'GP; 940pcs/40HQ



CFCB-1222

- 95mm Cast iron Burner
- 0.5mm #410 SS Panel
- 80mm Brass Burner Cap
- 260mm Cast Iron Pan Support
- 360*410*202mm Product Size
- 600pcs/20'GP; 1500pcs/40HQ

COMMERCIAL BURNER



CFCB-1223

- 95+95mm Cast iron Burner
- 0.5mm #410 SS Panel
- 80+80mm Brass Burner Cap
- 260+260mm Cast Iron Pan Support
- 750*410*202mm Product Size
- 306pcs/20'GP; 748pcs/40HQ



CFCB-1224

- 95+95+95+95mm Cast iron Burner
- 0.5mm #410 SS Panel
- 80+80+80+80mm Brass Burner Cap
- 260+260+260+260mm Cast Iron Pan Support
- 600*640*202mm Product Size
- 240pcs/20'GP; 680pcs/40HQ



CFBQ-1002

- Product size: 355*395*195mm
- Package size: 380*435*247mm
- Body: Powder coating body
- Burner: 2pcs infrared burner
- S.Steel grid size: 300*230mm
- Grid height adjustable
- Loading Qty: 1660pcs/40HQ

Optional:

- Stainless Steel Burner Cap / Quartz Glass Burner Cap



CFBQ-1003

- Product size: 465*395*195mm
- Package size: 495*435*247mm
- Body: Powder coating body
- Burner: 3pcs infrared burner
- S.Steel grid size: 410*230mm
- Grid height adjustable
- Loading Qty: 1270pcs/40HQ

Optional:

- Stainless Steel Burner Cap / Quartz Glass Burner Cap



CFBQ-1004

- Product size: 585*395*195mm
- Package size: 620*460*190mm
- Body: Powder coating body
- Burner: 4 pcs infrared burner
- S.Steel grid size: 530*230mm
- Grid height adjustable
- Loading Qty: 1030pcs/40HQ

Optional:

- Stainless Steel Burner Cap / Quartz Glass Burner Cap



CFBQ-1006

- Product size: 830*400*185mm
- Package size: 855*450*190mm
- Body: Powder coating body
- Burner: 6 pcs infrared burner
- S.Steel grid size: 770*250mm
- Grid height adjustable
- Loading Qty: 800pcs/40HQ

Optional:

- Stainless Steel Burner Cap / Quartz Glass Burner Cap

GAS BBQ




CFBQ-I004S-S

- Product size: 585*395*195mm
- Package size: 620*460*190mm
- Body: Stainless steel body
- Burner: 4 pcs infrared burner
- Stainless Steel Burner Cap
- S.Steel grid size: 530*230mm
- Grid height adjustable
- Loading Qty: 1030pcs/40HQ



CFBQ-I004S-G

- Product size: 585*395*195mm
- Package size: 620*460*190mm
- Body: Stainless steel body
- Burner: 4 pcs infrared burner
- Quartz Glass Burner Cap
- S.Steel grid size: 530*230mm
- Grid height adjustable
- Loading Qty: 1030pcs/40HQ



CFBQ-I110

- Product size: 720*380*210mm
- Package size: 760*400*240mm
- Body: Stainless Steel body
- Burner: 2pcs infrared burner
- S.Steel grid size: 540*240mm
- Loading Qty: 930pcs/40HQ



CH-P01



CH-P02



CH-P03



CH-P04



CH-P05



CH-P06



CH-P07



CH-P08



CH-P09



CH-P10



CH-P11



CH-P12

SPARE PARTS


PROFESSIONAL GAS STOVE

SPARE PARTS

PROFESSIONAL GAS STOVE



CH-P13



CH-P14



CH-P15



CH-P51



CH-P52



CH-P53



CH-C01A(90mm)



CH-C01B(90mm)



CH-C01C(90mm)



CH-C01D(115mm)



CH-C02(100/120mm)



SPARE PARTS

PROFESSIONAL GAS STOVE



CH-C03(70/90mm)



CH-C04(100/120mm)




CH-C05(100/120mm)



CH-C06(100/120mm)



CH-C07(100/120mm)



CH-C08(100/120mm)



CH-C09(100/120mm)



CH-C10(100/120mm)



CH-C11(70/90mm)



CH-C12(100/120mm)




CH-C13(100/120mm)



CH-C14(70/90mm)



CH-C16(120mm)



CH-C17(120mm)



CH-C18(120mm)